



**DEPARTMENT OF THE ARMY**  
**ASSISTANT CHIEF OF STAFF FOR INSTALLATION MANAGEMENT**  
**600 ARMY PENTAGON**  
**WASHINGTON, DC 20310-0600**

REPLY TO  
ATTENTION OF

DAIM-ZA

MEMORANDUM FOR RECORD

SUBJECT: The Army Standards for Urinals

1. The Army Standard for non-water using urinals is hereby approved. This standard is effective immediately for FY07 and beyond MILCON projects or major repairs not yet solicited. Retrofits will replace urinals using more than 1 gpf if criteria in March 2005 technical evaluation are met.
2. The Army Installation Design Standard (IDS) entry in Chapter 3.1.3 will be changed to read "Urinals. Non-water using urinals are an Army Standard for new construction and major repairs. It is a best practice to replace existing urinals using more than 1gpf if retrofit criteria are met IAW Waterless Urinals, Technical Evaluation, March 2005."
3. The Army Facilities Standardization Subcommittee must approve any planned deviation from this standard prior to finalizing designs for construction or major renovation projects.

DONALD L. BASHAM, PE  
Chief of Engineering and  
Construction  
Army Facilities Standardization  
Subcommittee

PHILIP E. SAKOWITZ  
Deputy Director  
Installation Management  
Agency  
Army Facilities  
Standardization  
Subcommittee

MARK A. LORING  
Colonel, GS  
Director, Facilities and  
Housing Directorate  
Assistant Chief of Staff for  
Installation Management  
Chairman  
Army Facilities Standardization  
Subcommittee